

# Foliar Diseases of Hydrangea



# Hydrangea Resistance Team

Sandy Reed - USDA National Arboretum

Tim Rinehart - USDA ARS

Margaret Mmbaga – TN State Univ.

Yonghao Li – Univ. of TN

Alan Windham – Univ. of TN

Mark Windham – Univ. of TN

# Powdery Mildew



- Test Location: McMinnville, TN
- 94 cultivars evaluated for two years
- Environment: 60% shade

# Cultivars resistant to powdery mildew



'Amagi Amacha'

'Diadon'

'Endless Summer'

'Shirofuji'

'Veitchii'

# Cercospora leaf spot



'Grayswood'



'Gen. Vicontessedede  
de Vibraye'

- Test Location:  
Poplarville, MS
- 29 cultivars  
evaluated in 2008
- Environment: full  
sun

# Cultivars resistant to Cercospora leaf spot



‘Endless  
Summer’

‘Ayesha’

‘Frillibet’

‘Lanarth White’

‘Libelle’

‘Sea Foam’

‘Tricolor’

‘Tovelit’

‘Vetchii’

# Conclusions



- ✓ Hydrangeas are variable for resistance to foliar diseases
- ✓ The only cultivar observed resistant to powdery mildew and Cercospora leaf spot was 'Vetchii'